

S-800 PATIO DOOR
Wood clad frame with mechanical sash



# UNEQUALLED ENERGY EFFICIENCY

P.H. Tech patio doors are designed to meet the highest and latest Canadian performance standards in terms of energy efficiency.

- Highly energy-efficient double glazing: non-conductive spacer, low-E coating, and argon gas to maximize the energy rating (ER) of your patio door
- Design that allows for 1"-thick double or triple glazing
- Profiles designed to significantly reduce the risk of condensation






#### **OPTIONS**

- Low-E double or triple glazing
- Bronze tinted glass
- Mini-blinds between the glass available on doors 5', 6', 9' and 12' wide
- Brickmolds



#### **DECORATIVE GRILLES**

- Rectangular 1/4" and 1/4" x 1"
- Georgian 7/32" x 5/8" and 7/32" x 1"
- Standard patterns: Regular, Prairie and Partial
- Other grids or patterns available on request



## UNPRECEDENTED RELIABILITY

Our doors are designed to ensure the operating sashes slide quietly, smoothly and effortlessly, year after year.

How do we measure carefree operation? With over a million doors sold throughout America.



Patented tandem wheels in ultra-durable nylon leave no marks on the rail and provide smoothness of operation.

Our doors withstood 119,000 test cycles without failure, carrying a 165 lb. sash—the equivalent of over 30 years of constant use!

100% aluminum raised rail protects the wheels from damage or jamming caused by dirt and debris.





## THE EASIEST-OPENING DOOR IN ITS CATEGORY

Try the test yourself: you can open it with just your fingertips!

#### **ADDITIONAL SECURITY**

- Foot lock
- Security bar



Two-point mortise lock



## CUSTOMIZE YOUR PATIO DOOR

Choose from a wide range of options and accessories.

#### **STANDARD COLOURS**







Blue white

Cream white

Beige

#### \_ -:-

## OPTIONAL EXTERIOR COLOURS

Select from our 30 standard colours available. Ask to see the colour samples.







Black

Grey

Commercial brown

#### **DECORATIVE PANELS**

Add French-style decorative panels to your doors without paying the high costs usually associated with this type of design.



#### **HANDLES**

Easy-to-grip handles. With or without key. Available in various styles and finishes.



Bright chrome



Brushed chrome



Brass



White



Black



Black nickel




Contemporary satin nickel



Contemporary white

### CONFIGURATIONS


Available in 2-panel, 3-panel, and 4-panel configurations.



\*81 1/8" (2060 mm) available in blue white vinyl only. \*\*70 1/2" (1790 mm) available in blue white vinyl only.


#### **PANORAMIC MULLING**

Transom available.



#### **SCREENS**

- Aluminum, with patented spring-loaded rollers for durability and ease of operation
- Will not skip or jump off the track
- Can be removed without tools



Patented spring-loaded suspension system

#### **PERFORMANCE**

ENERGY PERFORMANCE

Glass package	U-factor (W/m²K)	U-factor (Btu/h pi² °F)	Solar heat gain (SHGC)	Visual transmission	Energy rating (ER)	Zone
Double, low-e argon, 1", Warm-Edge spacer	1.70	0.30	0.53	0.61	33	2
Triple, low-e double argon, Warm-Edge spacer	1.25	0.22	0.43	0.53	37	3

#### WATER-AIR-STRUCTURE PERFORMANCE

Dimensions	Harmonized standard	Performance
1800 mm x 2080 mm 72" x 82"	AAMA/WDMA/CSA 101/I.S.2/A440-08	R-PG60-SD

## **BUILT TO LAST**

Doors are sturdy and square, thanks to superior-quality white pine wood clad with maintenance-free, durable PVC.





## **WARRANTIES**

P.H. Tech provides the following warranties:











